

L Number	Hits	Search Text	DB	Time stamp
2	23379	(brightness or luminance or luminous or luminosity) near3 control\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:58
3	1342065	mirror or reflect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:49
5	2173	((brightness or luminance or luminous or luminosity) near3 control\$4) and ((mirror or reflect\$3) with (partial\$ or transmit\$ or semi\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:50
6	466481	focus\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:50
7	37994	(partial\$ near3 (transmi\$6 or reflect\$3)) or semitransmi\$6 or semi-transmi\$6 or semireflect\$3 or semi-reflect\$ or partial-transmit\$3 or partial-reflect\$3 or partially-transmit\$3 or partially-reflect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:54
8	598	((brightness or luminance or luminous or luminosity) near3 control\$4) and ((partial\$ near3 (transmi\$6 or reflect\$3)) or semitransmi\$6 or semi-transmi\$6 or semireflect\$3 or semi-reflect\$ or partial-transmit\$3 or partial-reflect\$3 or partially-transmit\$3 or partially-reflect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:54
9	386883	(detect or sensor or sensing or detector or detected or detecti\$2) near4 (light or beam or ray)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:58
11	1619	((brightness or luminance or luminous or luminosity) near3 control\$4) same ((detect or sensor or sensing or detector or detected or detecti\$2) near4 (light or beam or ray) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:55
12	226	((((brightness or luminance or luminous or luminosity) near3 control\$4) same ((detect or sensor or sensing or detector or detected or detecti\$2) near4 (light or beam or ray) )) and (((brightness or luminance or luminous or luminosity) near3 control\$4) and ((mirror or reflect\$3) with (partial\$ or transmit\$ or semi\$))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:57
13	134	(((((brightness or luminance or luminous or luminosity) near3 control\$4) same ((detect or sensor or sensing or detector or detected or detecti\$2) near4 (light or beam or ray) )) and (((brightness or luminance or luminous or luminosity) near3 control\$4) and ((mirror or reflect\$3) with (partial\$ or transmit\$ or semi\$)))) and focus\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:57
14	232098	mirror and reflect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:57
15	104	(((((brightness or luminance or luminous or luminosity) near3 control\$4) same ((detect or sensor or sensing or detector or detected or detecti\$2) near4 (light or beam or ray) )) and (((brightness or luminance or luminous or luminosity) near3 control\$4) and ((mirror or reflect\$3) with (partial\$ or transmit\$ or semi\$)))) and focus\$) and (mirror and reflect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:57

16	27251	(brightness or luminance or luminous or luminosity) near5 (detect or sensor or sensing or detector or detected or detecti\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:58
18	90	((brightness or luminance or luminous or luminosity) near5 (detect or sensor or sensing or detector or detected or detecti\$2)) and (((brightness or luminance or luminous or luminosity) near3 control\$4) same ((detect or sensor or sensing or detector or detected or detecti\$2) near4 (light or beam or ray) )) and (((brightness or luminance or luminous or luminosity) near3 control\$4) and ((mirror or reflect\$3) with (partial\$ or transmit\$ or semi\$)))) and focus\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 10:23
19	37	((((brightness or luminance or luminous or luminosity) near3 control\$4) same ((detect or sensor or sensing or detector or detected or detecti\$2) near4 (light or beam or ray) )) and (((brightness or luminance or luminous or luminosity) near3 control\$4) and ((mirror or reflect\$3) with (partial\$ or transmit\$ or semi\$)))) and focus\$) and (mirror and reflect\$3) not (((brightness or luminance or luminous or luminosity) near5 (detect or sensor or sensing or detector or detected or detecti\$2)) and (((brightness or luminance or luminous or luminosity) near3 control\$4) same ((detect or sensor or sensing or detector or detected or detecti\$2) near4 (light or beam or ray) )) and (((brightness or luminance or luminous or luminosity) near3 control\$4) and ((mirror or reflect\$3) with (partial\$ or transmit\$ or semi\$)))) and focus\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 11:15
20	2	("20020085288").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 11:15
-	3327740	lamp or light or beam	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:49
-	13254	(control or controller or controlling) near3 brightness	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:49
-	363	(control or controller or controlling) near3 luminosity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:49
-	4719	(lamp or light or beam) with (((control or controller or controlling) near3 brightness) or ((control or controller or controlling) near3 luminosity))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:49
-	63422	focus\$3 adj2 lens	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:49
-	1684	((lamp or light or beam) with (((control or controller or controlling) near3 brightness) or ((control or controller or controlling) near3 luminosity))) and (mirror or reflect or reflected or reflecting or reflection)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:49
-	222	(focus\$3 adj2 lens) and (((lamp or light or beam) with (((control or controller or controlling) near3 brightness) or ((control or controller or controlling) near3 luminosity))) and (mirror or reflect or reflected or reflecting or reflection))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:49
-	2416	((359/619,634) or (362/268) or (353/33,99)).CCLS.	USPAT; US-PGPUB	2004/03/23 07:51

-	26	((focus\$3 adj2 lens) and (((lamp or light or beam) with (((control or controller or controlling) near3 brightness) or ((control or controller or controlling) near3 luminosity)))) and (mirror or reflect or reflected or reflecting or reflection))) and @pd>20030614	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:53
-	189	(((359/619,634) or (362/268) or (353/33,99)).CCLS.) and @pd>20030614	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:55
-	188	(((359/619,634) or (362/268) or (353/33,99)).CCLS.) and @pd>20030614) not (((focus\$3 adj2 lens) and (((lamp or light or beam) with (((control or controller or controlling) near3 brightness) or ((control or controller or controlling) near3 luminosity)))) and (mirror or reflect or reflected or reflecting or reflection))) and @pd>20030614)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:57
-	2	("6411449").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:41

L Number	Hits	Search Text	DB	Time stamp
19	3327740	lamp or light or beam	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:49
20	13254	(control or controller or controlling) near3 brightness	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:49
21	363	(control or controller or controlling) near3 luminosity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:49
22	4719	(lamp or light or beam) with (((control or controller or controlling) near3 brightness) or ((control or controller or controlling) near3 luminosity))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:49
23	63422	focus\$3 adj2 lens	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:49
24	1684	((lamp or light or beam) with (((control or controller or controlling) near3 brightness) or ((control or controller or controlling) near3 luminosity))) and (mirror or reflect or reflected or reflecting or reflection)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:49
25	222	(focus\$3 adj2 lens) and (((lamp or light or beam) with (((control or controller or controlling) near3 brightness) or ((control or controller or controlling) near3 luminosity))) and (mirror or reflect or reflected or reflecting or reflection))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:49
26	2416	((359/619,634) or (362/268) or (353/33,99)).CCLS.	USPAT; US-PGPUB	2004/03/23 07:51
27	26	((focus\$3 adj2 lens) and (((lamp or light or beam) with (((control or controller or controlling) near3 brightness) or ((control or controller or controlling) near3 luminosity))) and (mirror or reflect or reflected or reflecting or reflection))) and @pd>20030614	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:52
28	189	((359/619,634) or (362/268) or (353/33,99)).CCLS.) and @pd>20030614	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:52

L Number	Hits	Search Text	DB	Time stamp
1	10926	spatial\$3 adj2 modulat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:11
2	50149	focus\$ near3 image	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:11
3	134805	(lamp or light or beam) near3 focus\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:12
5	1308	(spatial\$3 adj2 modulat\$3) and (focus\$ near3 image)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:13
6	906	((spatial\$3 adj2 modulat\$3) and (focus\$ near3 image)) and ((lamp or light or beam) near3 focus\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:13
8	5596433	controller or control or servomotor or servo-motor or (servo adj motor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:20
9	745	((spatial\$3 adj2 modulat\$3) and (focus\$ near3 image)) and ((lamp or light or beam) near3 focus\$) and (controller or control or servomotor or servo-motor or (servo adj motor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:14
10	23573	(controller or control or servomotor or servo-motor or (servo adj motor)) same ((lamp or light or beam) near3 focus\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:15
11	281	((spatial\$3 adj2 modulat\$3) and (focus\$ near3 image)) and ((lamp or light or beam) near3 focus\$) and (controller or control or servomotor or servo-motor or (servo adj motor)) and ((controller or control or servomotor or servo-motor or (servo adj motor)) same ((lamp or light or beam) near3 focus\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:15
12	29085	calculat\$ near5 (luminance or brightness or distribution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:16
13	19	((spatial\$3 adj2 modulat\$3) and (focus\$ near3 image)) and ((lamp or light or beam) near3 focus\$) and (controller or control or servomotor or servo-motor or (servo adj motor)) and ((controller or control or servomotor or servo-motor or (servo adj motor)) same ((lamp or light or beam) near3 focus\$)) and (calculat\$ near5 (luminance or brightness or distribution))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:16
14	57550	servomotor or servo-motor or (servo adj motor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:20

15	3	(((spatial\$3 adj2 modulat\$3) and (focus\$ near3 image)) and ((lamp or light or beam) near3 focus\$)) and (controller or control or servomotor or servo-motor or (servo adj motor))) and ((controller or control or servomotor or servo-motor or (servo adj motor)) same ((lamp or light or beam) near3 focus\$))) and (servomotor or servo-motor or (servo adj motor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:41
16	19	(((spatial\$3 adj2 modulat\$3) and (focus\$ near3 image)) and ((lamp or light or beam) near3 focus\$)) and (controller or control or servomotor or servo-motor or (servo adj motor))) and ((controller or control or servomotor or servo-motor or (servo adj motor)) same ((lamp or light or beam) near3 focus\$))) and (calculat\$ near5 (luminance or brightness or distribution))) and (focus\$ near3 image)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:42
17	7719	(focus\$ near3 image) with detect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:42
18	11	(((spatial\$3 adj2 modulat\$3) and (focus\$ near3 image)) and ((lamp or light or beam) near3 focus\$)) and (controller or control or servomotor or servo-motor or (servo adj motor))) and ((controller or control or servomotor or servo-motor or (servo adj motor)) same ((lamp or light or beam) near3 focus\$))) and (calculat\$ near5 (luminance or brightness or distribution))) and ((focus\$ near3 image) with detect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 07:42